

■ 河川水質検査結果表14 - 犀川合流前

番号	河川名	位置	測定項目	H15	H16	H17	H18	H19	H20	H21	H22	H23	H24	H25	H26	H27	H28	H29	H30	H31	R2	R3	R4	R5
14	新堀川下流	犀川合流前 付近	pH(mg/L)	7.8	7.3	7.1	7.3	7.3	7.3	7.3	7.5	7.4	7.5	7.5	7.3	7.3	7.1	7.1	7.2	7.3	7.4	7.4	7.4	7.4
			BOD(mg/L)		5.1	4.0	6.4	6.0	6.4	4.8	5.5	3.6	6.2	4.1	4.2	3.0	6.1	7.6	12.5	6.1	7.8	6.8	3.7	4.5
			COD(mg/L)	15.0	15.5	6.3	11.1	10.7	10.9	9.5	6.6	5.3	8.0	7.0	14.7	5.5	20.5	46.8	15.3	15.0	22.0	19.3	24.4	9.2
			SS(mg/L)		10.0	5.0	6.6	9.0	7.0	7.8	7.8	6.3	10.0	7.0	10.3	5.0	3.3	3.0	1.5	10.5	8.5	7.3	4.8	4.8
			DO(mg/L)		6.5	7.6	6.8	6.2	6.2	7.2	8.6	8.1	7.9	8.1	7.4	6.5	7.8	8.4	7.7	7.7	6.9	7.1	8.2	7.7
			大腸菌群数(MPN/100ml)(~R3) 大腸菌数(CFU/100ml)(R4~)		71,500	16,000	271,733	41,667	172,000	44,750	20,250	30,450	1,261,000	48,500	57,450	79,250	6,623	4,050	14,075	57,500	48,500	192,250	843	428
			全窒素(mg/L)		3.45	1.70	4.17	3.07	3.80	3.80	4.10	3.60	3.05	3.15	3.00	2.98	2.18	1.40	2.10	3.10	3.08	3.40	3.68	2.78
			全リン(mg/L)		0.380	0.170	0.487	0.347	0.350	0.368	0.165	0.323	0.245	0.315	0.278	0.303	0.050	0.033	0.123	0.313	0.313	0.288	0.363	0.240